

SAFETY DATA SHEET

PEEK METAL POLISH PASTE

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: PEEK METAL POLISH PASTE

PART No.: 720115255, 720115015, 720110015

SUPPLIER: Tri-Peek International
P.O.Box 113
Saffron Walden
Essex, CB10 2ZL

TEL: 01799 524098
FAX: 01799 524669

EMERGENCY TELEPHONE(S): +44 (0) 1799 524098

2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EINECS No.	CAS No.	CONTENTS	SYMBOL	RISK (R No.)
ODOURLESS KEROSENE	297-853-6	93763-34-9	10-30 %	Fo, Xn	10, 65
AMMONIA SOLUTION	215-647-6	1336-21-6	1-5 %	C, N	34, 37, 50

The full text for all R-phrases are shown in section 16.

COMPOSITION COMMENTS: Risk phrases in this section apply only to individual constituents and not the finished preparation.

3 HAZARDS IDENTIFICATION

Not regarded as a health hazard under current legislation.

4 FIRST AID MEASURES

INHALATION: Remove from exposure, rest and keep warm. Seek medical attention if irritation persists.
INGESTION: DO NOT induce vomiting. Seek medical attention immediately and show this safety data sheet.

SKIN: Wash affected area with soap and water. If irritation persists seek medical attention.
EYES: In case of contact with eyes, rinse with water until irritation subsides. If irritation persists, seek medical attention.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: This material is not flammable.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEANUP METHODS: Use an absorbent material, eg sand, to mop up residues. See section 13 Disposal Considerations.

7 HANDLING AND STORAGE

STORAGE PRECAUTIONS: Keep in cool, dry, ventilated storage and closed containers.

PEEK METAL POLISH PASTE

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT NAME	CAS No	STD	LT EXP (8 hrs)	ST EXP (15 min)
ODOURLESS KEROSENE	93763-34-9	OES.	5 mg/m3	10 mg/m3
AMMONIA SOLUTION	1336-21-6	OES.	25 ppm	35 ppm

INGREDIENT COMMENTS: OES = Occupational Exposure Standard.
HYGIENIC WORK ROUTINES: PERSONAL PROTECTION: Wear personal protective equipment appropriate to the task.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Paste or slurry.	COLOUR:	Blue.
ODOUR/TASTE:	Characteristic.	SPECIFIC GRAVITY (Water=1):	1.03 @ 20 °C
pH-VALUE,CONC:	10.0		

10 STABILITY AND REACTIVITY

STABILITY: There are no known stability problems associated with this product when stored and used under the conditions recommended.
MATERIALS TO AVOID: Strong oxidizing agents.

11 TOXICOLOGICAL INFORMATION

HEALTH HAZARDS, GENERAL: An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this product.
INHALATION: High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.
INGESTION: Harmful: small amounts of liquid aspirated into the respiratory system during ingestion or from vomiting may cause lung damage.
SKIN: May cause defatting of the skin, but is not classified as an irritant.
EYES: Slightly irritating.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: An ecotoxicity study of this product has not been conducted. However, this product contains substances which may injure aquatic life due to effect on pH. Do not discharge into waste or waterways.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Recycle empty containers if facilities are available. Dispose of in accordance with local authority recommendations.

14 TRANSPORT INFORMATION

GENERAL: This product is not classified for the purposes of transport.
ROAD:
RAIL:
SEA:
AIR:

PEEK METAL POLISH PASTE

15 REGULATORY INFORMATION

RISK PHRASES:	Not classified.	
SAFETY PHRASES:	S-2	Keep out of reach of children.
UK REGULATORY REFERENCES:	Chemicals (Hazard Information & Packaging) Regulations.	

16 OTHER INFORMATION

USER NOTES:	The purpose of the above information is to describe this product only in terms of Health and Safety requirements. The information given therefore, should not be construed as guaranteeing specific properties or specification. Customers should satisfy themselves as to the suitability and completeness of this information for their own particular use, bearing in mind any other Health and Safety legislation or regulations. The information and recommendations in this publication are to the best of our knowledge reliable. However, nothing herein is construed as a warranty or representation. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.	
INFORMATION SOURCES:	HSE EH40 Occupational Exposure Limits. Suppliers health & safety data sheets.	
REVISION DATE:	13.02.03	
REVISION No. /REPLACES SDS ISSUED:	1	
R-PHRASES (Full Text):	R-10	Flammable.
	R-34	Causes burns.
	R-37	Irritating to respiratory system.
	R-50	Very toxic to aquatic organisms.
	R-65	Harmful: may cause lung damage if swallowed.
DATE:	29.06.00	